


Temporary Site Protection

Surface & Edge Protection | Hoardings | PPE




Your build, made easy

Trumark. Facade. Fit Out. Fixings.

Temporary Protection For Your Site

Australian owned and with over 70 years serving customers, Trumark are specialist suppliers of facade, fit out and fixing systems.

With an extensive range and excellent stock holdings, we also supply the required tools and accessories to get the job done, so you can complete your project faster and easier.





Sheet Products


8-9

About Trumark


Australian owned and with over 70 years serving customers, Trumark are specialist suppliers of facade, fit out and fixing systems.

With an extensive range and excellent stock holdings, we also supply the required tools and accessories to get the job done, so you can complete your project faster and easier.

With Trumark, it's your build, made easy.







Our Services & Deliveries

Services at a Glance



Central Warehouse Location - Scoresby



Fibre Cement Cutting Service




Engineering & Tech Support



On Call Support Team







Fast Quotes



Pre-Order and Collect Service



Pack & Pallet

Delivery Options



Standard Delivery

Guaranteed delivery within 6 hours



Pronto[™] Delivery

Guaranteed delivery within 2-4 hours



Delivery Guarantee

We promise your order will be delivered in full, within the agreed time, every time or we'll pay your delivery costs.*

*Delivery conditions apply. Visit: www.trumark.com.au/delivery-guarantee/

Pick Ups

Order pick ups are quick and convenient with Trumark.

Located in Scoresby, we are a two minute drive off Eastlink and only 7km from the Monash Freeway.



Sheet Products

PolyFlute

PolyFlute polypropylene sheeting designed to protect floors, walls, columns, doors, windows and fragile products/equipment.

Benefits

- · Dual wall high impact protection
- · Easy to fold for vertical surface protection
- · Light weight, tough, versatile, waterproof

Uses

- · Translucent is often used for window protection
- · Excellent for wet traffic protection and as a sealing membrane
- Easy to cut and form/fold to protect staircases, corners, doors, jambs and windows and protection for kitchen surfaces, vanities and toilets
- · Protective membrane barrier behind retaining walls

Application Instructions

- · Cut to length and join as required
- · Tape joins and edges using appropriate adhesive tape
- PolyFlute cutter and folder tool

Part Number	Description	Dimensions (mm)	Pack Qty	Approx Mass (kg)
PF252412B	2.5mm Black PolyFlute	2400mm x 1200mm	400	1.01

PlyGuard™ Plywood

PlyGuard Plywood sheeting is a durable and long-term solution to protect flooring in high traffic or high impact areas. Used extensively as premium internal and external barriers, block out or hoardings.

Benefits

- Extra heavy duty long-term impact protection from falling objects
- Spans greater unsupported distances than other timber sheets
- · Multi-layers laminated for strength, durable both internally and externally
- · Facing options available (white laminated etc.)
- · Other sizes and thicknesses available
- · Marine grade also available

Uses

- The most resilient long-term protection solution for high traffic/heavy impact areas
- · Ideal for ramps and walkways
- Excellent buffer for fragile surfaces during heavy activity and demolition
- · Internal/external barriers, block out and hoardings
- · Temporary pedestrian barrier/hoarding
- For sensitive surface finishes use in conjunction with SupaFoam

Application Instructions

• Tape joins and edges using appropriate adhesive tape

Part Number	Description	Dimensions (mm)	Pack Qty	Approx Mass (kg)
PG122412	PlyGuard - 12.0mm Plywood	2440mm x 1220mm	80	13.45
PG182412	PlyGuard - 18.0mm Plywood	2440mm x 1220mm	45	22.81



TakMat™ Tacky Mats

TakMat are trip safe tacky entrance mats for containing contamination and preventing dust and dry debris from gaining entrance into sterile and clean environments.

Benefits

- Pressure sensitive polyethylene tacky sheets
- · Removes & contains dry contamination from footwear
- Trip safe low profile
- · Reduces clean-up time and damage risk


Uses

- · Commonly used under doors due to low profile
- Ideal to prevent dust & dry debris being walked/tracked/ wheeled into a clean area/finished floor
- Used extensively for hospitals, labs, shops, offices and homes and more

Application Instructions

- · Remove the backing layer and stick to floor
- Peel/dispose each layer when fully soiled leaving a new layer ready for use

Part Number	Description	Dimensions (mm)	Pack Qty
TM0909B	TakMat - Blue Tacky Dust Mat	913mm x 913mm	8



MDFGuard™

Prefinished MDFGuard sheets are a cost-effective solution for high traffic/impact floor protection. Also used as premium internal barriers or hoarding walls.

Benefits

- · High impact protection from falling objects
- Strong and durable
- · Smooth finish that maintains straightness and evenness
- Flame retardant options available
- Cost effective impact protection option
- Facing options available
- · Cut to size service available

Uses

- Effective protection solution for high traffic/heavy impact areas
- · Ideal for timber, marble, tiles and vinyl floors
- Excellent buffer for fragile surfaces during heavy activity and demolition
- Internal hoardings in public areas
- For sensitive surface finishes use in conjunction with SupaFoam
- Temporary pedestrian barrier/hoarding

Application Instructions

• Tape joins and edges using appropriate adhesive tape





Film & Woven Products

SupaTak[™] **500** Hard Surface Film

SupaTak 500 is a clear, mid-tack hard surface film with a self-adhesive surface on one face. It has been designed to provide temporary protection on tile, marble, timber and vinyl surfaces. It is easy to roll out over stairs, use as a walkway or for complete surface coverage.

Benefits

- · Puncture and tear resistant
- · Heavy duty clear film
- Mid-tack adhesive backing stays securely in place and leaves no residue
- Trip safe Suitable to use in public thoroughfares
- Waterproof

Applications

- Ideal temporary protection for tiles, marble, timber and vinyl surfaces
- Secure protection for bench tops and low-profile protection on timber flooring
- · Neat/tight fit against skirtings, columns and cabinets

Application Instructions

- SupaTak is reverse rolled simply roll out by hand or foot and cut to length
- · Remove after 4 weeks
- Film applicator, broom, rubber blade or similar can be used to assist in application.
- A test area is always recommended prior to full application
- It is the user's responsibility to determine suitability for use. If in doubt contact technical services for advice



Part Number	Description	Dimensions (mm)	Pack Qty	Approx Mass (kg)
ST505100	SupaTak 500 - Clear Mid Tack Film Roll	1000mm x 100m	24	10.36

SupaTak™800 Carpet Film

SupaTak 800 is a reverse rolled, clear polythene clear film coated with a pressure sensitive adhesive and is designed to be applied to carpet and textile floor coverings. Its application is intended to provide a protective barrier and help prevent soiling and staining during construction processes. SupaTak 800 is slip resistant and allows for accurate marking out for partitioning.

Benefits

- Adheres to most common carpet types
- · Easy roll out and removal
- Will not creep and wrinkle after application.
- Waterproof
- Puncture and tear resistant
- Trip safe Suitable to use in public thoroughfares

Uses

- · Use on carpets only do not use on hard surfaces
- Ideal temporary protection for synthetic and nylon carpet
- · Easy to roll out over stairs and walkways
- · Lays neat and tight against skirtings and around columns
- · Ideal for masking or taping edges

Application Instructions

- Adhesion will be reduced on dusty surfaces. Vacuuming prior to application is recommended
- Must be removed after 4 weeks
- · Always check it stuck firmly to carpets before commencing work
- May not adhere to some carpets treated with "stain-guard" products as they can repel the adhesive
- A test area is always recommended prior to full application
- Do not use underfloor heating whilst SupaTak 800 is in place
- It is the user's responsibility to determine suitability for use. If in doubt contact technical services for advice
- SupaTak is reverse rolled simply roll out by hand or foot and cut to length
- A film applicator, broom, rubber blade or similar can be used to assist in application



Part Number	Description	Dimensions (mm)	Pack Qty	Approx Mass (kg)
ST810100	SupaTak 800 - Clear High Tack Film Roll	1000mm x 100m	24	10.36

Film & Woven Products

MegaFilm™ Plastic Roll

MegaFilm is a non-adhesive multi-purpose protection roll of industrial grade polythene.

Benefits

- Industrial strength polythene rolls
- Waterproof
- AS Approved concrete underlay
- Durable & versatile
- · Clear sheeting allows for maximum light & visibility

- · Temporary floor protection barrier against spills & wet foot traffic
- Drop sheets & covers, dust barriers and waterproof membranes
- · Concrete underlay, asbestos wrapping
- ZipWall System

Part Number	Description	Dimensions (mm)	Pack Qty	Approx Mass (kg)
P30020C1	MegaFilm - 80um Clear Plastic Roll	3000mm x 20m	30	2.28
P40100C1	MegaFilm - 100um Clear Plastic Roll	4000mm x 100m	30	19.00



MegaWeave[™] Poly-weave Floor Protector

MegaWeave is an industrial strength waterproof poly-weave floor protector roll with an anti-slip coated surface.

Benefits

- Double laminated polythene weave for industrial strength, durability and tear resistance
- · Cost effective and user friendly
- Environmentally sustainable polythene
- · Provides protection from heavy activity
- · Coated anti-slip surface
- 100% Waterproof

- Offers protection during heavy activities
- Ideal for laying over finished floors for protection
- · Containment sheeting for the Zipwall dust barrier system
- · Can also be used in external applications

Part Number	Description	Dimensions (mm)	Pack Qty	Approx Mass (kg)
MW18100	MegaWeave - 90gsm White Roll	1830mm x 100m	50	16.20



Soft Roll Products

SupaFoam™

SupaFoam rolls provide a lightweight, non-abrasive protection for sensitive surfaces and fragile items.

Benefits

- · Non-abrasive, cushioned foam to protect sensitive surfaces
- · Environmentally sustainable
- Lightweight

Uses

- To protect sensitive and polished surfaces such as tile, marble, glass surfaces and bench tops
- · As a buffer under PolyFlute and other sheeting products
- Provides excellent protection for fragile items
- · Easy wrap protection around columns and corners



Part Number	Description	Dimensions (mm)	Pack Qty	Approx Mass (kg)
SF0112100	SupaFoam - 1.0mm White Foam Roll	1200mm x 100m	10	4.50

MultiTough™

MultiTough is four-in-one surface protection, combining a robust outer surface, bonded to a foam substrate. MultiTough provides a waterproof, anti-slip, tear resistant, cushioned surface for protection of applications such as polished floors, vinyl, stone and joinery.

Benefits

- · Soft cushioning and anti-scratch protection
- Anti-slip
- Lightweight
- Waterproof
- Tear resistant

Uses

 Four-in-one surface protection commonly used to protect polished floors, vinyl, stone and joinery



Part Number	Description	Dimensions (mm)	Pack Qty	Approx Mass (kg)
MT12050	MultiTough - Four-in-one surface protection	1200mm x 50m	10	14.00

BubbleWrap

BubbleWrap is an effective, economical and user-friendly protection for finished products including handrails, doors, frames and bench tops as well as sensitive finished joinery.

Benefits

- · Cost effective cushioning solution
- · Easy to use

Uses

- Used to protect sensitive and delicate surfaces
- · Bench Tops, baths, sinks



Part Number	Description	Dimensions (mm)	Pack Qty	Approx Mass (kg)
BW15100	Clear Bubble-Wrap Roll	1500mm x 50m	10	21.20


BubbleWeave[™]

BubbleWeave is the ultimate tough cushioned protector for sensitive surfaces in harsh environments. The unique combination of foam and bubble weave is supplied in a roll and is a cost-effective method to use in situations requiring exceptional protective covering.

Benefits

- Foam & bubble combination for exceptional cushioning
- The laminated weave top layer allows for harsh usage/treatment
- Easy to use

- Used to protect sensitive and delicate surfaces in harsh environments
- Bench Tops, baths, sinks etc



Part Number	Description	Dimensions (mm)	Pack Qty	Approx Mass (kg)
BW15050	Bubble Weave - White Foam - Bubble Roll	1500mm x 50m	20	14.24

Edge Protection

SupaFoam™ Door & Handrail Protector

SupaFoam easy install, slit O-profile foam door jamb & hand rail protectors are used to guard against site damage.

Benefits

- · High-density fire-retardant foam
- Re-usable
- Simple to install and remove

- · Protects door jambs, handrails, window frames, posts and columns from damage
- · Also used to protect pipe work and tubing
- Scaffold safety

Part Number	Description	Dimensions (mm)	Pack Qty	Approx Mass (kg)
HRP20050	Yellow Foam Tube Protector		20	0.10
DJP20095	Red Foam Door Jamb Protector		20	0.10



Cardboard Corner Protectors


Heavy duty corner and edge protection for walls, doors and windows as well as fragile products and palletised goods.

Benefits

- Environmentally sustainable cardboard
- 4mm thick cardboard protection against corner impact
- Durable & recyclable

- Ideal edge protection for walls, doors, windows, fragile products and palletised goods
- Safeguard set corners from site traffic
- Protect sharp objects

Part Number	Description	Dimensions (mm)	Pack Qty	Approx Mass (kg)
CCP010	Cardboard Corner Protector	1000mm	50	0.06



Adhesive Tapes

GripStick™ Trumark Joining Tape

Premium polypropylene joining tape.

Part Number	Description	Dimensions (mm)	Pack Qty	Approx Mass (kg)
AJT48	GripStik - Trumark Joining Tape	48mm x 66m	36	0.24



GripStick[™] Cloth Tape

Strong and aggressive high-tack waterproof tape. Can be torn by hand for ease of use. Also known as Gaffa Tape.

Part Number	Description	Dimensions (mm)	Pack Qty	Approx Mass (kg)
BCT48	GripStik - Black Cloth Joining Tape	48mm x 25m	24	0.30
WCT48	GripStik - White Cloth Joining Tape	48mm x 25m	24	0.30



GripStick™ Duct Tape

Grey/Silver PVC tape ideal for joining and sealing protective materials. Very tenacious adhesion to almost any surface.

Part Number	Description	Dimensions (mm)	Pack Qty	Approx Mass (kg)
SDT48	GripStik - Silver Duct Tape	48mm x 30m	36	0.24



GripStick[™] Carpet Tape

High-tack film tape for carpet protection. Commonly used for cut in and as a removable surface to tape other floor protection to.

Part Number	Description	Dimensions (mm)	Pack Qty	Approx Mass (kg)
ST802100	SupaTak 800 - Clear High-Tack Film Roll	200mm x 100m	5	2.07



GripStick™ Aluminium Protection Tape

Adhesive PVC tape to protect and mask both aluminium and steel frames. Heavy duty PVC helps prevent scratches, staining of anodised, powder coated & polished frames/surfaces. Comes with a low tack yet strong adhesive backing to ensure it can be removed clean and without residue.

Part Number	Description	Dimensions (mm)	Pack Qty	Approx Mass (kg)
BAPT48	GripStik - Black Aluminium Protection Tape	48mm x 66m	36	0.30
BAPT96	GripStik - Black Aluminium Protection Tape	96mm x 66m	18	0.60
BAPT230	GripStik - Black Aluminium Protection Tape	230mm x 66m	8	2.87



GripStick™ Blue Masking Tape

Low tack masking, sealing and joining tape for sensitive applications. Peels off up to 14 days after applying to most surfaces with no residue.

Part Number	Description	Dimensions (mm)	Pack Qty	Approx Mass (kg)
BMT24	GripStik - Blue Masking Tape	24mm x 50m	36	0.20
BMT48	GripStik - Blue Masking Tape	48mm x 50m	24	0.40



Hoardings

ZoneFX™ - Hoarding & Site Segregation


ZoneFx Hoarding Solutions is a smart a smart wall panel system for complete segregation of work areas.

Available in two options - Zone FX 300 and Zone FX 1200.

Benefits

- · Light weight and easy to install
- Easily cut to size/shape
- Reusable/relocatable
- Clean pre-finished surface
- Space saver
- · Durable and weatherproof
- Broad range of accessories including Single/Double Doors and Windows

- Cutting rooms
- Site offices/amenities
- Office partitioning
- Transportable buildings
- Food processing areas
- Hoardings for offices and high traffic areas including airports, shopping centres and schools



ZoneFX[™] 300

Fixed PVC Hoarding Solution

ZoneFX 300 is a reusable tongue and groove PVC panel system designed to facilitate complete segregation of work areas. Ease of installation is made possible through lightweight 300mm wide panels, innovative fixing systems and accessories.

Features

- · Satin off-white grooved finish
- · Requires top and base track fixing/supporting
- Fully sealed/enclosed solution
- Tongue & Groove Panels
- · Can be used as a ceiling

System Details

- 300mm Wide x 30mm Thick Tongue & Groove PVC Panel
- Standard Lengths 3000m, 3600mm
- · Panel Weight approx 6kg/m2
- · Single/Double doors and windows available
- Broad range of accessories



ZoneFX™ 1200Free Standing Hoarding

ZoneFx 1200 is a high gloss reusable PVC panel system designed to create a premium robust free standing hoarding solution. Speed of installation is made possible through its 1200mm wide panels, which interlock into a free-standing support system.

Features

- Freestanding
- Manoeuvrability
- No fixings required
- · Corporate, clean line gloss white finish
- Thick robust panel

System Details

- 1200mm Wide x 35mm thick robust PVC Panel
- Standard Lengths 2250mm, 2400mm, 2700mm, 3000mm
- System includes tracking and supports (9kg Posts, 14kg Weights)
- Panel weight approx 6kg/m2
- Single/Double doors available
- Broad range of accessories available
- · For complete dust containment use with Zipwall kits



Hoardings

ZipWall™ Dust Containment Barrier System

ZipWall® is a system of adjustable spring-loaded poles that hold up sheeting to form a barrier, delineate a work zone or create a cutting room. Ideal for containing dust during renovations, refurbishments, demolition and maintenance in sensitive or occupied areas.

Benefits

- · Available in easy to use kits in various sizes
- No tools, tape or fixings required
- · No damage to ceilings, walls or floors
- · Reusable many times over
- Easy & fast to install & dismantle -5 minutes with one person
- · Smart and professional looking
- · No tape or fixings required
- Effective dust seal
- · Zipper option for easy access

- Containment kit sizes 10m x 4m, 20m x 4m & 50m x 4m
- Height range options from 1.5 6.0m.
- Create a 3 or 4 sided enclosure or divide up a room
- Zipper options available
- · Components also sold separately









WorkShield[™] Hearing Protection

High-quality tapered ear pugs to protect hearing on site.



Part Number	Description	Pack Qty	Approx Mass (kg)
HEU660	WorkShield - Tapered earplug - Uncorded (100 pairs)	10	1.10

WorkShield[™] Gloves



Part Number	Description	Pack Qty	Approx Mass (kg)
GNN192L	WorkShield- Nylon glove - nitrile coated - Size L	12	0.15
GNN192XL	WorkShield- Nylon glove - nitrile coated - Size XL	12	0.15
GRB140L	G WorkShield- Grey Cowgrain Riggers Glove - Size L	12	0.15
GRB140XL	G WorkShield- Grey Cowgrain Riggers Glove - Size XL	12	0.15

WorkShield[™] Safety Glasses

Protect your eyes with high quality safety glasses available in clear and tinted.



Part Number	Description	Pack Qty	Approx Mass (kg)
EKA304	WorkShield - Clear Safety Glasses	12	0.15
EKA305	WorkShield - Smoke Safety Glasses	12	0.15

SupaTak[™] Floor Film Applicator

Ideal applicator for applying 800mm – 1000mm rolls of TakFilm over large areas, speeding up the process dramatically with less strain. The bonding of Supa Tak Rolls is enhanced which leaves a neat smooth finish to the film.

Benefits

- · Allows one operator to use larger rolls with less strain
- More effective bond leaving a neat, smooth finish to the film
- · Quick and easy set up
- Enables fast and efficient application

Application Instructions

- · Ensure all applicator fixings are tight and installed correctly
- Ensure core plugs have been inserted into the Supa Tak Rolls
- Protection film is applied in forward motion, ensure film runs underneath the bottom steel roller





Working with Trumark

The Trumark "1%" Principle.

With our team of experienced professionals, our focus is on understanding the individual needs of your build to help shorten your construction journey so you can build quicker, easier & more efficiently. Our range might be similar, but the service you get with Trumark is different. Good different. We don't try to be the biggest supplier on the block, we aim to be the easiest supplier to deal with, every time.

But what makes us different? Well, there isn't just one thing that makes Trumark easier to deal with, it is all the "1 percenters" that we do for our customers to help make their job easier – we call it the Trumark "1%" Principle, and it is the reason we have been in business for so many years.



What makes us different?



We actually listen

We realise it is more valuable to listen to what our customers want rather than to talk too much, so that is what we do.



We know a lot of technical stuff

It is a priority for our team to be available to offer the best technical knowhow when you need it – both over the phone or on site.



We are here when you need us

Sometimes you need a favour and this is where Trumark really shines. From fast tracked orders to latenight callouts, we do what we can to support our customers.



We solve problems

Out team are just a phone call away and can be on-site when required to help find a solution to your product or install issues.

Want to find out more? Call us on 1300 00 50 52 to organise a meeting to discuss your business needs.



Trumark supply building materials to the construction industry. We specialise in facades, fit outs and fixings.

Head Office & Distribution Centre

50 - 52 Koornang Rd, Scoresby VIC 3179 1300 00 50 52 sales@trumark.com.au

trumark.com.au







Details are correct at time of printing. Images for reference only. For more information, installation and technical guides, certificates and warranties visit our website. Copyright ©2023 Trumark.